

1/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name RODILON WHEAT TECH

Product code (UVP) 05238072

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Rodenticide

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Environmental Science

230 Cambridge Science Park

Milton Road Cambridge

Cambridgeshire CB4 0WB

United Kingdom

**Telephone** 00800-1214 9451 **Telefax** +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 3

H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Difethialone



2/10

# **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017



Signal word: Warning

### **Hazard statements**

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

### **Precautionary statements**

P102	Keep out of reach of children.
P260	Do not breathe dust.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-
	hazardous waste.

### 2.3 Other hazards

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 Mixtures

### **Chemical nature**

Bait (ready for use) (RB) Difethialone 0.0025 % w/w

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
difethialone	104653-34-1	Aquatic Chronic 1, H410 Acute Tox. 1, H330 STOT RE 1, H372 Acute Tox. 1, H300 Acute Tox. 1, H310 Repr. 1B, H360D Aquatic Acute 1, H400	0.0025

#### **Further information**

difethialone 104653-34-1 M-Factor: 100 (acute), 100 (chronic)
---

For the full text of the H-Statements mentioned in this Section, see Section 16.



3/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Keep under medical supervision for at least 48

hours.

**Inhalation** Move to fresh air. Keep patient warm and at rest. If symptoms persist,

call a physician.

**Skin contact** Wash off immediately with soap and plenty of water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists,

see an ophthalmologist.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Ingest activated charcoal.

Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** If large amounts are ingested, the following symptoms may occur:

Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising

and haemorrhage formation

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

### 4.3 Indication of any immediate medical attention and special treatment needed

**Risks** Because of antivitamin K properties of the active ingredient, absorption

can inhibit blood coagulation and cause haemorrhagic syndrome.

**Treatment** Symptoms of poisoning may appear several hours later. Keep under

medical supervision for at least 48 hours.

Local treatment: Initial treatment: symptomatic.

Systemic treatment: Monitor: blood picture. Monitor: prothrombin time/ INR. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Recovery is spontaneous and without sequelae. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated

charcoal and sodium sulphate is always advisable.

#### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Alcohol-resistant foam, Sand



4/10

### **RODILON WHEAT TECH**

Version 4/GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides, Bromine

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear selfcontained breathing apparatus and protective suit.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Keep people away from and upwind of spill/leak. Avoid contact with

spilled product or contaminated surfaces. When dealing with a

spillage do not eat, drink or smoke.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

### 6.3 Methods and materials for containment and cleaning up

The nature of this product, when contained in commercial packs, Methods for cleaning up

> makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with

plenty of water.

**Additional advice** Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

No specific precautions required when handling unopened Advice on safe handling

> packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Avoid dust formation.

Keep away from food, drink and animal feedingstuffs. Wash hands **Hygiene measures** 

thoroughly with soap and water after handling and before eating,



5/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower. Avoid contact with skin, eyes and clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Keep containers

tightly closed in a dry, cool and well-ventilated place.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

No control parameters known.

### 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Material Nitrile rubber
Break through time > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and



6/10

# **RODILON WHEAT TECH**

Version 4/GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

should be professionally laundered frequently.

If there is a risk of significant exposure, consider a higher protective

type suit.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form cereals Colour red

pН ca. 6.4 at 1 % (25 °C) (deionized water)

**Density** ca. 0.72 g/cm3 at 20 °C

**Bulk density** >= 750 kg/m3Water solubility immiscible

Partition coefficient: n-

octanol/water

Difethialone: log Pow: 6.3

9.2 Other information Further safety related physical-chemical data are not known.

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

Thermal decomposition Stable at ambient temperature.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to hazardous reactions

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity

Not relevant because of low dust formation.

**Acute dermal toxicity** LD50 (Rabbit) > 2,000 mg/kg

Skin irritation No skin irritation



7/10

### **RODILON WHEAT TECH**

Version 4/GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

Eye irritation No eye irritation Sensitisation Non-sensitizing.

Assessment STOT Specific target organ toxicity - single exposure

Difethialone: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Difethialone caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Difethialone are related to antivitamin K properties.

Assessment mutagenicity

Difethialone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity** 

Difethialone is not considered carcinogenic.

Assessment toxicity to reproduction

Difethialone: May damage the unborn child.

Assessment developmental toxicity

Difethialone did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 51,0 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient difethialone.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: 22,0 μg/l

The value mentioned relates to the active ingredient difethialone.

Toxicity to aquatic

invertebrates Exposure time: 48 h

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia magna (Water flea)): 3,0 µg/l The value mentioned relates to the active ingredient difethialone.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 65,0 µg/l **Toxicity to aquatic plants** 

EC50 (Daphnia magna (Water flea)) 4,4 μg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient difethialone. NOEC (Raphidocelis subcapitata (freshwater green alga)) 32,0 µg/l

12.2 Persistence and degradability

Biodegradability Difethialone:

Not rapidly biodegradable

12.3 Bioaccumulative potential



8/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

**Bioaccumulation** Difethialone: Bioconcentration factor (BCF) 39,974

Bioaccumulative

12.4 Mobility in soil

Mobility in soil Difethialone: Immobile in soil

12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Diffethialone: This substance is considered to be persistent,

bioaccumulative and toxic (PBT). This substance is considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

**Contaminated packaging** Do not re-use baits or empty containers.

Rinsed packaging may be acceptable for landfill, otherwise incineration

will be required in accordance with local regulations.

Not completely emptied packagings should be disposed of as

hazardous waste.

Follow advice on product label and/or leaflet.

Waste key for the unused

product

**06 13 01\*** Inorganic plant protection products, wood-preserving agents

and other biocides

### **SECTION 14: TRANSPORT INFORMATION**

# According to ADN/ADR/UK 'Carriage' Regulations/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**14.1 – 14.5** Not applicable.

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.



9/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### **Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

### **Waste Treatment**

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

### **Further information**

WHO-classification: III (Slightly hazardous)

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Ready to use 'Baits' are insecticides packaged in plastic, tamper proof containers.



10/10

### **RODILON WHEAT TECH**

Version 4 / GB Revision Date: 17.08.2017 102000007527 Print Date: 24.08.2017

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2015/830. The

following sections have been revised: Section 2: Hazards Identification.

Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.