



## ROUNDUP POWERMAX

Version 3 / GB  
102000040233

1/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** ROUNDUP POWERMAX  
**Product code (UVP)** 62290410  
**UFI** JAW1-W0QC-800Y-WSQY (for Northern Ireland only)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide  
**Restrictions on use** See product label for restrictions.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom

**Telephone** +44(0)1223 226500

**Telefax** +44(0)1223 426240

**Responsible Department** Email: gb-bcs-crop-regulatory-affairs@bayer.com

**FOR IRELAND & NORTHERN IRELAND:** Bayer CropScience Ltd  
Bayer Ltd  
1st Floor, The Grange Offices  
The Grange, Brewery Road  
Stillorgan  
Co. Dublin  
A94 H2K7  
Ireland

**Telephone** +353 1 216 3300

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

**For Medical Professionals:** You can also contact the relevant NPIS.  
**For Members of the Public:** You can also contact NHS111 (for GB) or your local GP (for Northern Ireland).

**National Poisons Information Centre Dublin** +353-1-809 2166 (available from 8 am to 10 pm every day)



## ROUNDUP POWERMAX

Version 3 / GB  
102000040233

2/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Glyphosate ammonium salt



#### Hazard statements

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P234 Keep only in original container.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Glyphosate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**ROUNDUP POWERMAX**Version 3 / GB  
1020000402333/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**Water soluble granules (SG)  
Ammonium salt of glyphosate 790 g/kg**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Glyphosate ammonium salt	40465-66-5	Aquatic Chronic 2, H411 Aquatic Chronic 2, H411	72
Ethoxylated fatty amidoamine	1189172-06-2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	> 3 – < 10
Alcohols, C16-18, ethoxylated	68439-49-6	Eye Irrit. 2, H319	> 3 – < 10
Sodium sulphite	7757-83-7 01-2119537420-49-xxxx	Not classified	< 1

**Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Particle characteristics**

This substance/ mixture does not contain nanoforms

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

**Ingestion**

Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**



## ROUNDUP POWERMAX

Version 3 / GB  
102000040233

4/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

**Symptoms** Product dust may be irritating to eyes, skin and respiratory system.  
Hypersensitivity to sulphiting agents., A very small percentage of particularly sensitive people may suffer skin or respiratory reactions.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Risks** This product is not a cholinesterase inhibitor.

**Treatment** Treatment with atropine and oximes is not indicated. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:., Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Oxides of phosphorus

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Do not breathe dust. Use personal protective equipment. Keep unauthorized people away.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Use mechanical handling equipment. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.



## **ROUNDUP POWERMAX**

Version 3 / GB  
102000040233

5/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

---

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

**Advice on safe handling** Avoid dust formation. Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### **7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

---

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **8.1 Control parameters**

No known occupational limit values.

#### **8.2 Exposure controls**

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

#### **Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### **Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.



**ROUNDUP POWERMAX**

Version 3 / GB  
102000040233

6/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

	Material	Nitrile rubber
	Rate of permeability	> 480 min
	Glove thickness	> 0.4 mm
	Directive	Protective gloves complying with EN 374.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
<b>Skin and body protection</b>	<p>Wear standard coveralls and Category 3 Type 5 suit.                      If there is a risk of significant exposure, consider a higher protective type suit.                      Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.                      If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.</p>	

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	granules, Free-flowing, free from foreign matter
<b>Colour</b>	light brown
<b>Odour</b>	chemical
<b>Odour Threshold</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	Not applicable
<b>Flammability</b>	Not applicable
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	The product is not self-ignitable.
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>pH</b>	3.4 - 4.2 (1.5 %) (23 °C) (deionized water)
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Water solubility</b>	soluble
<b>Partition coefficient: n-</b>	Glyphosate: log Pow: -3.2



## ROUNDUP POWERMAX

Version 3 / GB  
102000040233

7/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

### octanol/water

<b>Vapour pressure</b>	No significant volatility.
<b>Density</b>	No data available
<b>Relative density</b>	Not applicable
<b>Bulk density</b>	0.54 - 0.58 g/cm <sup>3</sup> (loose)
<b>Relative vapour density</b>	No data available
<b>Assessment nano particles</b>	This substance/ mixture does not contain nanoforms

### 9.2 Other information

<b>Explosivity</b>	Not explosive
<b>Oxidizing properties</b>	No data available
<b>Evaporation rate</b>	Not applicable
<b>Other physico-chemical properties</b>	Further safety related physical-chemical data are not known.

---

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Galvanised steel, Unlined mild steel Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use. Hazardous products of combustion: see section 5.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

<b>Acute oral toxicity</b>	LD50 (Rat) > 5,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 2.10 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol.

**ROUNDUP POWERMAX**Version 3 / GB  
1020000402338/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

Highest attainable concentration.

During intended and foreseen applications, no respirable aerosol is formed.

<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg
<b>Skin corrosion/irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Serious eye damage/eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

**Assessment STOT Specific target organ toxicity – single exposure**

Glyphosate: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Glyphosate did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Glyphosate was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment toxicity to reproduction**

Glyphosate did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Glyphosate did not cause developmental toxicity in rats and rabbits.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties**

<b>Assessment</b>	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Danio rerio (zebra fish)) 102 mg/l Exposure time: 96 h
-------------------------	---

<b>Chronic toxicity to fish</b>	Brachydanio rerio (zebrafish) NOEC: 1.0 mg/l Exposure time: 7 d The value mentioned relates to the active ingredient glyphosate.
---------------------------------	---

<b>Toxicity to aquatic</b>	EC50 (Daphnia magna (Water flea)) > 93 mg/l
----------------------------	---

**ROUNDUP POWERMAX**Version 3 / GB  
1020000402339/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

<b>invertebrates</b>	Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 51 mg/l Growth rate; Exposure time: 72 h
<b>Toxicity to other organisms</b>	NOAEC (Lemna gibba (gibbous duckweed)) 8.8 mg/l Growth rate; Exposure time: 7 d
	LD50 (Apis mellifera (bees)) > 100 mcg/bee (contact) Exposure time: 48 h
	LD50 (Apis mellifera (bees)) > 104,8 mcg/bee (oral) Exposure time: 48 h
	LC50 (Eisenia fetida (earthworms)) > 1000 mg/kg dry soil Exposure time: 14 d
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Glyphosate: Not rapidly biodegradable
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	Glyphosate: Bioconcentration factor (BCF) 0.5 Does not bioaccumulate.
<b>12.4 Mobility in soil</b>	
<b>Mobility in soil</b>	Glyphosate: Slightly mobile in soils
<b>12.5 Results of PBT and vPvB assessment</b>	
<b>PBT and vPvB assessment</b>	Glyphosate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
<b>12.6 Endocrine disrupting properties</b>	
<b>Assessment</b>	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
<b>12.7 Other adverse effects</b>	
<b>Additional ecological information</b>	No further ecological information is available.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
<b>Contaminated packaging</b>	Not completely emptied packagings should be disposed of as hazardous waste.

**ROUNDUP POWERMAX**Version 3 / GB  
10200004023310/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (GLYPHOSATE, AMMONIUM SALT MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (GLYPHOSATE, AMMONIUM SALT MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (GLYPHOSATE, AMMONIUM SALT MIXTURE )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**UK 'Carriage' Regulations**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (GLYPHOSATE, AMMONIUM SALT MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to IMO instruments**

No transport in bulk according to the IBC Code.



## **ROUNDUP POWERMAX**

Version 3 / GB  
102000040233

11/13  
Revision Date: 12.01.2024  
Print Date: 05.03.2024

### **SECTION 15: REGULATORY INFORMATION**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

##### **Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

##### **Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

##### **Waste Treatment**

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

##### **Further information**

WHO-classification: U (Unlikely to present acute hazard in normal use)

---

### **SECTION 16: OTHER INFORMATION**

#### **Text of the hazard statements mentioned in Section 3**

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by



## ROUNDUP POWERMAX

Version 3 / GB  
102000040233

12/13

Revision Date: 12.01.2024  
Print Date: 05.03.2024

	Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

### Reason for Revision:

The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 8: Exposure Controls / Personal Protection. Section 10. Stability and reactivity. Section 12. Ecological information. Section 14: Transport Information. Section 15: Regulatory information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006



**ROUNDUP POWERMAX**

Version 3 / GB  
102000040233

13/13

Revision Date: 12.01.2024  
Print Date: 05.03.2024

---